





Easy DIY



Made from 100% recycled plastic



**UV** stabilised for long life



5 Year warranty



Australian made and owned

## **GARDEN EDGING (3mm thick)**

Ideal for edging paths, garden beds, borders, lawns and for protecting trees from whipper-snipper damage. Flexible, tough & long-lasting. Colours: Black & Dark Green

| Size (h x roll length) | Size (h x roll length) |  | Size (h x roll length) |
|------------------------|------------------------|--|------------------------|
| 75mm x 10m             | 100mm x 10m            |  | 150mm x 10m            |
| 75mm x 30m             | 100mm x 30m            |  | 150mm x 30m            |
| 75mm x 50m             | 100mm x 50m            |  | 150mm x 50m            |
| 300mm x 12m            |                        |  | 600mm x 12m            |



# **HEAVY DUTY GARDEN & PATH EDGING (5mm thick)**

Thickest garden edging on the market (on a roll). Flexible, super-tough & long-lasting. Ideal for edging paths, garden beds, driveways, borders & lawns. Prevents grass from invading garden beds whilst retaining soil, pebbles & mulch. Colours: Black & Dark Green

| Size (h x roll length) |
|------------------------|------------------------|------------------------|------------------------|
| 75mm x 10m             | 100mm x 10m            | 150mm x 10m            | 200mm x 20m            |
| 75mm x 25m             | 100mm x 25m            | 150mm x 25m            | 300mm x 15m            |



#### **GARDEN & PATH EDGING PEGS**

Solid, heavy-duty pegs designed to support garden & path edging. Impact resistant & immune to termites. Easy to screw, staple, nail, drill or saw. Colour: Black

| Size (l x w x h)    | Size (I x w x h)    |
|---------------------|---------------------|
| 300mm x 30mm x 25mm | 300mm x 60mm x 30mm |



#### **GARDEN OR TREE PLANTING STAKES**

Tough, solid, weatherproof & durable. CCA & splinter-free. Ideal for staking tomatoes, trees & other plants. Easy to screw, staple, nail, drill or saw. Colour: Black

| Size (mm)   | Lengths (mm)    |
|-------------|-----------------|
| 38mm x 38mm | 100mm to 1900mm |





sales@plasticforests.com.au

**1** (02) 6048 0532

21 Union Road North Albury NSW 2640



















**Easy DIY** 



Made from 100% recycled plastic



**UV** stabilised for long life



**5** Year warranty



Australian made and owned

## 'PLUS' BOLLARD

Solid, durable & strong, with or without an Australian-made steel reinforced core. Ideal barrier to define boundaries for vehicles & pedestrians. Will never rot, splinter or need painting like timber. Dome or flat top. Can be installed alone or linked via chain, rope or wire. Easy to screw, staple, nail, drill or saw. With pre-drilled hole for locking into concrete footings to prevent removal. Colours: Black, Dark Green or Brown. Finish: Smooth high satin finish.

| Width (mm) | Depth (mm) | Lengths (mm)            |  |
|------------|------------|-------------------------|--|
| 110        | 110        | 900/1000/1200/1500/1650 |  |





## **COMMERCIAL WHEEL STOPS**

Ideal for carparks. AS/NZS 2890.1:2004 compliant (1650mm). Thermally bonded coloured strips that will never peel off. Lightweight (10kg) for easy 1-person installation (1650mm length). Will not crack, chip, rot or disintegrate. UV stabilised & low maintenance. Reducedslip, sawtooth top. 3 fixings (for concrete) or 4 fixings (for asphalt/ bitumen). Colours: Black, Silage Green and Ivory with thermally bonded yellow, white, bright green, blue (disabled) or red safety strips.

| Base Width (mm) | Height (mm) | Top width (mm) | Lengths (mm) |
|-----------------|-------------|----------------|--------------|
| 136             | 96          | 48             | 1650         |



## TRUCK WHEEL STOPS

Ideal for truck parking areas. Feature a Class 1 diamond grade yellow reflective safety strip Lightweight (21kg) for easy 1-person installation (1200mm length). Will not crack, chip, rot or disintegrate. UV stabilised & low maintenance. 4 predrilled holes.


| Base Width (mm) | Height (mm) | Top width (mm) | Lengths (mm)              |
|-----------------|-------------|----------------|---------------------------|
| 138             | 138         | 138            | 1200mm STD – Up to 2400mm |



























Easy DIY



Made from 100% recycled plastic



UV stabilised for long life



**5 Year warranty** 



Australian made and owned

#### **DOMESTIC WHEEL STOPS**

Ideal for domestic garages & carports. Long lasting - will not crack, chip, rot or disintegrate. UV stabilised & low maintenance. Easy to install with supplied HILTI bolts (Domestic) or selfadhesive strip (Mini). Colour (Domestic): Black with thermally bonded yellow, white, bright green, blue (disabled) or red strips). Colour (Mini): Black with reflective stickers

|                     | Base Width (mm) | Height<br>(mm) | Top width<br>(mm) | Lengths (mm) |
|---------------------|-----------------|----------------|-------------------|--------------|
| Domestic Wheel Stop | 136             | 96             | 48                | 500/900      |
| Mini Wheel Stop     | 78              | 55             | -                 | 300          |



## **RAISED GARDEN BED KIT - CIRCLE**

Perfect for growing vegetables, flowers or herbs. Long lifespan - no rot, splinters or rust. Sturdy, weatherproof & maintenance free. Simple assembly without power tools. Screws included. Colours: Black, Dark Green & Grey Mist

| Circle Diameter (mm) | Height<br>(mm) | Height<br>(mm) | Height<br>(mm) | Height<br>(mm) | Height<br>(mm) |
|----------------------|----------------|----------------|----------------|----------------|----------------|
| 600                  | 200            | 300            | 400            | 600            | 725            |
| 900                  | 200            | 300            | 400            | 600            | 725            |
| 1250                 | 200            | 300            | 400            | 600            | 725            |
| 1550                 | 200            | 300            | 400            | 600            | 725            |






## **RAISED GARDEN BED KIT - HEART**

Stunning 'heart' design. Easy assembly. Colours: Black, Dark Green & Grey Mist

| Size (l x w)  | Height options (mm) | Roll length (m) |
|---------------|---------------------|-----------------|
| 1250 x 1100mm | 200/300/400/600     | 2m x 2          |
| 1900 x 1600mm | 200/300/400/600     | 3m x 2          |
| 2700 x 2000mm | 200/300/400/600     | 4m x 2          |
| 3300 x 2300mm | 200/300/400/600     | 5m x 2          |



























Easy DIY



Made from 100% recycled plastic



**UV** stabilised for long life



**5 Year warranty** 



Australian made and owned

## **RAISED GARDEN BED KIT - 2 TIER CIRCLES**

Tiered garden beds are perfect for creating an eye-catching display. Sturdy, circular garden beds of two different diameters & heights.

Colours: Black, Dark Green & Grey Mist

| 2 Tier Garden Bed | Diameter (mm) | Height (mm) | Roll length (m) |
|-------------------|---------------|-------------|-----------------|
| Tier 1            | 600           | 300         | 2               |
| Tier 2            | 1250          | 200         | 4               |



#### **RAISED GARDEN BED KIT - 3 TIER CIRCLES**

Sturdy, circular garden beds of three different diameters & heights. Colours: Black, Dark Green & Grey Mist

| 2 Tier Garden Bed | Diameter (mm) | Height (mm) | Roll length (m) |
|-------------------|---------------|-------------|-----------------|
| Tier 1            | 600           | 300         | 2               |
| Tier 2            | 1250          | 200         | 4               |




## **'PLUS' FENCE POST**

Strong, durable, stylish, recycled plastic post with an Australian-made steel core. Low maintenance, termite proof & long life — will not rot, split or rust. Fully insulated post for easy electrification without insulators. Driveable point for fast installation. Ideal for swampy, wet, flood-prone, acidic, alkaline or saline soils. Easy to screw, nail, drill or saw. Resistant to impact, shock & breakage. Retained flexibility for less injury to wildlife. Made with recycled plastics including farm plastics. Designed as an in-line post only & must not be used as a strainer post. Ideal for dairy, beef, feral, oyster and hobby farms. Options: Pre-drilled wire holes; Pre-drilled top slot for barbed wire; Custom hole spacings & hole sizes. Colour: Black


| Width (mm) | Depth (mm) | Lengths (mm)        |
|------------|------------|---------------------|
| 110        | 110        | 1800/1900/2100/2250 |



























Easy DIY



Made from 100% recycled plastic



UV stabilised for long life



**5 Year warranty** 



Australian made and owned

# **SQUARE PICKET – Polymer Mineral Composite - With holes**

Use instead of a steel star picket for a sturdy, long-lasting, fully insulated square post that will never rust. Pre-drilled holes & driveable point for fast installation. No safety cap required. Perfect for swampy, flood-prone, acidic or saline soils. Easy to screw, drill or saw. Colour: Black Holes: 14 x 5mm

| Width (mm) | Depth (mm) | Length (mm)         |
|------------|------------|---------------------|
| 38         | 38         | 1500/1650/1800/1900 |



## **DROPPER - With holes**

Robust, durable fence dropper to maintain fence integrity & spread stock pressure across the whole fence. Pre-drilled holes & fully insulated for easy electrification. Will never rust or rot. Colour: Black Holes: 5mm

| Width (mm) | Depth (mm) | Length (mm)            |
|------------|------------|------------------------|
| 38         | 38         | 630/960/1080/1170/1200 |



#### WATER SAVER TREE SURROUND

Ideal for concentrating water around the tree root ball to improve plant survival. Sturdy, UV stabilised and easy to assemble. Heavy Duty (3mm thick) or Extra Heavy Duty (5mm thick)


| Thickness | Height (mm) | Diameter (mm) | Volume (L) | Colour                  |
|-----------|-------------|---------------|------------|-------------------------|
| 3mm       | 190         | 500           | 39         | Black or Dark Green     |
| 3mm       | 250         | 670           | 88         | Black or Dark Green     |
| 5mm       | 200         | 600           | 56         | Black, Grey or Dk Green |
| 5mm       | 200         | 900           | 127        | Black, Grey or Dk Green |
| 5mm       | 200         | 1250          | 245        | Black, Grey or Dk Green |
| 5mm       | 300         | 600           | 85         | Black, Grey or Dk Green |
| 5mm       | 300         | 900           | 190        | Black, Grey or Dk Green |
| 5mm       | 300         | 1250          | 368        | Black, Grey or Dk Green |



sales@plasticforests.com.au

**(**02) 6048 0532

21 Union Road North Albury NSW 2640



















**Easy DIY** 



Made from 100% recycled plastic





**5 Year warranty** 



Australian made and owned

# **ROOT BARRIER (1.3mm) & HEAVY-DUTY ROOT BARRIER (3mm)**

A solid, strong barrier between roots & man-made structures such as driveways, paths & pipes. Flexible, lightweight, waterproof & easy to install. Colour: Black/Dark Green/Grey

| Height (mm) | Solid thickness (mm) | Roll length (m) | Colour                |
|-------------|----------------------|-----------------|-----------------------|
| 600         | 1.3                  | 10m /30m        | Black/Dark Green/Grey |
| 600         | 3                    | 12m             | Black/Dark Green/Grey |
| 300         | 3                    | 12m             | Black                 |



## MOUNTING BLOCKS FOR AIR-CON, PUMPS etc

Extremely strong (highest industry load rating) - will not collapse or crack. Easy to install. Ideal for ground mounting air conditioner compressors, rainwater tanks, pumps, composters & pool heaters. Colour: Black

| Size (w x h) | Length (mm) | Length (mm) | Length (mm) | Length (mm) |
|--------------|-------------|-------------|-------------|-------------|
| 90mm x 90mm  | 380         | 450         | 600         | 1000        |



## **ELECTRICAL CABLE COVER**

Strong, highly visible barrier between underground electrical cables and excavators. AS4702-2000 compliant. Easy to install. UV stabilised orange laminate. Colour: Black

|                       | Width (mm) | Width (mm) | Width (mm) | Width (mm) |
|-----------------------|------------|------------|------------|------------|
| 20m roll standard     | 150        | 200        | 300        | Up to      |
| Up to 155lm rolls     |            |            |            | 725mm      |
| Planks also available |            |            |            |            |



## **'PLUS' FENCE POST - EQUINE**

Designed with horse safety in mind. Stylish, durable & strong black recycled plastic post with an Australian-made steel core. Rounded edges, a domed top and retained flexibility for added horse protection. Long life – will not swell, rot, split, splinter or rust. Fully insulated for easy electrification without insulators. Resistant to bacteria, impact & breakage. Waterproof, termite proof, maintenance & chemical free. Easy to screw, nail, drill or saw. Made with recycled plastics including farm plastics. Use as an in-line post only. Colour: Black & Dark Green. Options: Pre-drilled holes/slots for wire, mesh, tape or vinyl/polymer rail.

| Width (mm) | Depth (mm) | Lengths (mm)        |
|------------|------------|---------------------|
| 110        | 110        | 1800/1900/2100/2250 |



sales@plasticforests.com.au

**1** (02) 6048 0532

21 Union Road North Albury NSW 2640



















**Easy DIY** 



Made from 100% recycled plastic



**UV** stabilised for long life



**5 Year warranty** 



Australian made and owned

#### **TONGUE & GROOVE BOARD**

Solid, tough & durable. Interlocking tongue & groove design creates a safe, sturdy & impact resistant panel. Maintenance free, waterproof, termite proof & hygienic. Will not swell, rot, split or splinter. Noise deadening & chemical free. Easy to screw, nail, drill or saw. Ideal for equine & farm indoor applications including stable panels, animal stalls, divider partitions and arena safety walls. Not suitable for decking, spanning or structural applications. Colour: Black & Dark Green

| Height (mm) | Wide (mm) | Lengths (mm) |
|-------------|-----------|--------------|
| 150         | 35        | Up to 2000mm |



#### **STABLE PANEL**

Made from stylish, solid & durable recycled plastic that will not swell, chip, rot or splinter. Interlocking tongue & groove design for a safe, sturdy and impact resistant panel. Noise deadening & chemical free. Galvanised frame enables a variety of standard or custom sizes to be created. Colour: Black & Dark Green

|                            | Height (m) | Length (m) |
|----------------------------|------------|------------|
| Standard side Stable Panel | Up to 2.6m | customised |
| Standard rear Stable Panel | Up to 2.6m | customised |



### **POLY SHEET**

600mm wide Poly Sheet available in 3 thicknesses – 1.3mm, 3mm and 6mm. Flexible, heavy duty, durable polyethylene sheeting. Waterproof, termite proof and hygienic. Many applications including lining stockyards, stables and feed troughs. Colour: Black/Dark Green/Silage Grey

| Width (mm) | Height (mm) | Roll Length (m) | Colour                       |
|------------|-------------|-----------------|------------------------------|
| 3mm        | 300/600     | 12              | Black/Dark Green/Silage Grey |
| 1.3mm      | 600         | 10 / 30         | Black                        |
| 6mm        | 600         | Custom          | Black                        |



#### DUNNAGE – GLUTS – BLOCKS – PACK SPACERS – BEARERS – i-90

Durable, re-usable and tough. Affordable, low trip-cost alternative to timber. **Unique** I **shape** results in a strong, light weight and easy to hold product. Suitable for a wide range of static, storage applications. Provides clearance for forklift tines to lift goods safely and provides a stable base for goods once on the ground. Colour: Black & Grey

| Size (w x h) | Length (mm)  |
|--------------|--------------|
| 90mm x 90mm  | Up to 1200mm |





sales@plasticforests.com.au

**1** (02) 6048 0532

21 Union Road North Albury NSW 2640















## **BLOCK DUNNAGE – SOLID HEAVY DUTY**

Plastic Forests Block Dunnage is ideal for many heavy duty transport and storage applications, such as to elevate concrete tunnel segments, tubing blocks or tilt panels in lay down areas or precast concrete yards. Solid and lightweight hollow available Colour: Black & Grey

| Size (w x h)  | Length (mm)             |
|---------------|-------------------------|
| 100mm x 100mm | Up to 2400mm – March/23 |
| 125mm x 125mm | Up to 2400mm- April/23  |
| 140mm x 140mm | Up to 2400mm            |





TECHNICAL REPORT conducted by ExcelPlas Polymer Testing



#### Coefficient of Friction - Plastic Forests Plastic Solid Dunnage vs Solid Timber Pine Block against checker plate\*

|   | Coefficient of Static friction ((N/g)/kg) This is for ground applications | Coefficient of Kinetic friction ((N/g)/kg) This is for 'on truck/transport' applications |
|---|---|--|
| Plastic Forests Solid<br>Embossed Dunnage | Mean = 0.543 - Range 0.472 - 0.576  | Mean = 0.477 - Range 0.460 - 0.500   |
| Plastic Forests Solid<br>Smooth Dunnage   | Mean = 0.528 - Range 0.500 - 0.535  | Mean = 0.465 - Range 0.458 - 0.470   |
| Pine Solid Timber Block                   | Mean = 0.576 - Range 0.547 - 0.637  | Mean = 0.35 - Range 0.309 - 0.394  |

#### SCAFFOLDING SAFETY EDGE GUARD - FALLING OBJECTS

A strong heavy duty 5mm plank that can be screwed onto the scaffolding plank and butted up against the slab to provide protection against items falling to lower levels. UV stabilised. Easy to install with Metal Tek 16mm Hex Head with seal screws. Colour: Black

| Width (mm)                   | Length (mm)                    | Presentation |
|------------------------------|--------------------------------|--------------|
| Standard 200mm (up to 600mm) | Standard 2440mm (up to 3600mm) | Plank/flat   |



■ sales@plasticforests.com.au

**2** (02) 6048 0532

21 Union Road North Albury NSW 2640



















# 1,000 + Positive Product Reviews



■ sales@plasticforests.com.au

**2** (02) 6048 0532

21 Union Road North Albury NSW 2640









