

SPECIFICATIONS

Product	Plastic Forests Wheel Stop – Commercial Wheel Stop AS/NZS 2890.1:2004		
Dimensions (mm)	1650mm (l) x 96mm (h) x 136mm (base width) x 48mm (top width) nominal (+/- 5mm)		
Weight (kg) approx	10 kg		
Compliance	AS/NZS 2890.1:2004 i.e. between 90 and 100mm in height and 1650 +/-50mm in width		
Wheel Stop Colour	Black	5 x Safety Strip Colour Options (22mm front & back)	Yellow - Blue (disabled), White - Green - Red
Composition	98% recycled polyolefins diverted from landfill, plus: process additives, UV stabiliser and high visibility virgin LDPE safety strip (<0.001%)		
Use	Non-structural	Electrical Conductivity	Non-conductive
UV	UV stabilised	Weatherproof	Yes
Made	Australian Made	Warranty	5-year warranty
Design Life	20+ years		
Cleanability	May be washed, steam cleaned or chemically sterilised		
Indoor/ Outdoor Use	Suitable for indoor and outdoor use.	Recyclability	Recyclable at end of life
Chemical Resistance	Resistant to fuels, oils, and most common chemicals.		
Application	Suitable for car parking lots and facilities, to limit the movement of a vehicle into a parking space. Typical uses include: Inhibiting contact with an end barrier or high kerbs, controlling the kerb overhang by vehicles where it is hazardous or inconvenient to pedestrians and inhibiting encroachment into an opposing car space.		
Fixings (sold separately)	Concrete - Commercial External: 3 x Excalibur M10 screw bolts x 150mm + 3 x gal washers		

TECHNICAL REPORT conducted by ExcelPlas Polymer Testing # Job 10065 – 26/6/2020



Compressive Strength


	Maximum Compressive Strength (N)	Maximum Compressive Stress (MPa)
Plastic Forests Wheel Stop	51,044	25.7

WARNINGS: • Wheel Stops must be securely affixed to the ground to inhibit upward curving at the ends, as all plastic expands/contracts. See Installation Instructions • For use on flat surfaces only • Wheel stops should not be used where they may be in the path of pedestrians moving to & from parked vehicles or crossing a car park for any other purpose • Always perform your own risk assessment before using this product • Warranty against chipping, rusting, rotting and disintegrating, under normal conditions, with proof of purchase. Excludes fixings & installation • Copies of Technical Data Sheets available upon request



5 colour options for safety strips

Saw tooth top for reduced slip



www.plasticforests.com.au

sales@plasticforests.com.au

(02) 6048 0532

21 Union Road North Albury NSW 2640

DISCLAIMER: All information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Plastic Forests Pty Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Users of products made from recycled plastic should recognise the limitations imposed, and in conjunction with the supplier agree on the necessary specification limits. In general, products made from recycled plastic conform to "Fit for Use" criteria. Information and product specifications may change without notice. V 161023 ACN: 147 913 559 ABN: 991 479 13559

PRODUCT CODES – For Specifying

FOR INSTALLATION ONTO CONCRETE (3 holes)

Wheel Stop Coloured Strip Options	
Black Base, 3 holes (1650mm)	
COLOURED STRIP OPTIONS (front & back)	
Yellow	WS.B.Y.1650.3
Blue (disabled)	WS.B.BD.1650.3
White	WS.B.W.1650.3
Green	WS.B.G.1650.3
Red	WS.B.R.1650.3
Fixings	WS.Bolt.Concrete

Approved Supplier For



www.plasticforests.com.au

sales@plasticforests.com.au

(02) 6048 0532


21 Union Road North Albury NSW 2640

DISCLAIMER: All information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Plastic Forests Pty Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Users of products made from recycled plastic should recognise the limitations imposed, and in conjunction with the supplier agree on the necessary specification limits. In general, products made from recycled plastic conform to "Fit for Use" criteria. Information and product specifications may change without notice. V 161023 ACN: 147 913 559 ABN: 991 479 13559



www.plasticforests.com.au

 sales@plasticforests.com.au

 (02) 6048 0532

 21 Union Road North Albury NSW 2640

DISCLAIMER: All information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Plastic Forests Pty Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Users of products made from recycled plastic should recognise the limitations imposed, and in conjunction with the supplier agree on the necessary specification limits. In general, products made from recycled plastic conform to "Fit for Use" criteria. Information and product specifications may change without notice. V 161023 ACN: 147 913 559 ABN: 991 479 13559