



**Durable - Never rot, crack or rust**



**Easy DIY**



**Made from 100% recycled plastic**



**UV stabilised for long life**



**5 Year warranty**



**Australian made and owned**

## GARDEN EDGING (3mm thick)

Ideal for edging paths, garden beds, borders, lawns and for protecting trees from whipper-snipper damage. Flexible, tough & long-lasting. Colours: Black & Dark Green

Size (h x roll length)	Size (h x roll length)	Size (h x roll length)
75mm x 10m	100mm x 10m	150mm x 10m
75mm x 30m	100mm x 30m	150mm x 30m
75mm x 50m	100mm x 50m	150mm x 50m
300mm x 12m	600mm x 12m	



## HEAVY DUTY GARDEN & PATH EDGING (5mm thick)

Thickest garden edging on the market (on a roll). Flexible, super-tough & long-lasting. Ideal for edging paths, garden beds, driveways, borders & lawns. Prevents grass from invading garden beds whilst retaining soil, pebbles & mulch. Colours: Black & Dark Green


Size (h x roll length)	Size (h x roll length)	Size (h x roll length)	Size (h x roll length)
75mm x 10m	100mm x 10m	150mm x 10m	200mm x 20m
75mm x 25m	100mm x 25m	150mm x 25m	300mm x 15m



## GARDEN & PATH EDGING PEGS

Solid, heavy-duty pegs designed to support garden & path edging. Impact resistant & immune to termites. Easy to screw, staple, nail, drill or saw. Colour: Black

Size (l x w x h)	Size (l x w x h)
300mm x 30mm x 25mm	300mm x 60mm x 30mm



## GARDEN OR TREE PLANTING STAKES

Tough, solid, weatherproof & durable. CCA & splinter-free. Ideal for staking tomatoes, trees & other plants. Easy to screw, staple, nail, drill or saw. Colour: Black

Size (mm)	Lengths (mm)
38mm x 38mm	100mm to 1900mm



[sales@plasticforests.com.au](mailto:sales@plasticforests.com.au)

(02) 6048 0532

21 Union Road North Albury NSW 2640

DISCLAIMER: All information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Plastic Forests Pty Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Users of products made from recycled plastic should recognise the limitations imposed, and in conjunction with the supplier agree on the necessary specification limits. In general, products made from recycled plastic conform to "Fit for Use" criteria. Information, product specifications and pricing may change without notice. ACN: 147 913 559 ABN: 99147913559 0912/2024



**Durable - Never rot, crack or rust**



**Easy DIY**



**Made from 100% recycled plastic**



**UV stabilised for long life**



**5 Year warranty**



**Australian made and owned**

## 'PLUS' BOLLARD

Solid, durable & strong, with or without an Australian-made steel reinforced core. Ideal barrier to define boundaries for vehicles & pedestrians. Will never rot, splinter or need painting like timber. Dome or flat top. Can be installed alone or linked via chain, rope or wire. Easy to screw, staple, nail, drill or saw. With pre-drilled hole for locking into concrete footings to prevent removal. Colours: Black, Dark Green or Brown. Finish: Smooth high satin finish.

Width (mm)	Depth (mm)	Lengths (mm)
110	110	900/1000/1200/1500/1650



## COMMERCIAL WHEEL STOPS

Ideal for carparks. AS/NZS 2890.1:2004 compliant (1650mm). Thermally bonded coloured strips that will never peel off. Lightweight (10kg) for easy 1-person installation (1650mm length). Will not crack, chip, rot or disintegrate. UV stabilised & low maintenance. Reduced-slip, sawtooth top. 3 fixings (for concrete) or 4 fixings (for asphalt/ bitumen). Colours: Black, Silage Green and Ivory with thermally bonded yellow, white, bright green, blue (disabled) or red safety strips.

Base Width (mm)	Height (mm)	Top width (mm)	Lengths (mm)
136	96	48	1650



## TRUCK WHEEL STOPS

Ideal for truck parking areas. Feature a Class 1 diamond grade yellow reflective safety strip. Lightweight (21kg) for easy 1-person installation (1200mm length). Will not crack, chip, rot or disintegrate. UV stabilised & low maintenance. 4 predrilled holes.

Base Width (mm)	Height (mm)	Top width (mm)	Lengths (mm)
138	138	138	1200mm STD – Up to 2400mm



[sales@plasticforests.com.au](mailto:sales@plasticforests.com.au)

(02) 6048 0532

21 Union Road North Albury NSW 2640

DISCLAIMER: All information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Plastic Forests Pty Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Users of products made from recycled plastic should recognise the limitations imposed, and in conjunction with the supplier agree on the necessary specification limits. In general, products made from recycled plastic conform to "Fit for Use" criteria. Information, product specifications and pricing may change without notice. ACN: 147 913 559 ABN: 99147913559 0912/2024



**Durable - Never rot, crack or rust**



**Easy DIY**



**Made from 100% recycled plastic**



**UV stabilised for long life**



**5 Year warranty**




**Australian made and owned**

## DOMESTIC WHEEL STOPS

Ideal for domestic garages & carports. Long lasting - will not crack, chip, rot or disintegrate. UV stabilised & low maintenance. Easy to install with supplied HILTI bolts (Domestic) or self-adhesive strip (Mini). Colour (Domestic): Black with thermally bonded yellow, white, bright green, blue (disabled) or red strips). Colour (Mini): Black with reflective stickers

	Base Width (mm)	Height (mm)	Top width (mm)	Lengths (mm)
Domestic Wheel Stop	136	96	48	500/900
Mini Wheel Stop	78	55	-	300



Domestic



Mini

## RAISED GARDEN BED KIT - CIRCLE

Perfect for growing vegetables, flowers or herbs. Long lifespan - no rot, splinters or rust. Sturdy, weatherproof & maintenance free. Simple assembly without power tools. Screws included. Colours: Black, Dark Green & Grey Mist

Circle Diameter (mm)	Height (mm)	Height (mm)	Height (mm)	Height (mm)	Height (mm)
600	200	300	400	600	725
900	200	300	400	600	725
1250	200	300	400	600	725
1550	200	300	400	600	725



## RAISED GARDEN BED KIT - HEART

Stunning 'heart' design. Easy assembly. Colours: Black, Dark Green & Grey Mist

Size (l x w)	Height options (mm)	Roll length (m)
1250 x 1100mm	200/300/400/600	2m x 2
1900 x 1600mm	200/300/400/600	3m x 2
2700 x 2000mm	200/300/400/600	4m x 2
3300 x 2300mm	200/300/400/600	5m x 2



[sales@plasticforests.com.au](mailto:sales@plasticforests.com.au)

(02) 6048 0532

21 Union Road North Albury NSW 2640

DISCLAIMER: All information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Plastic Forests Pty Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Users of products made from recycled plastic should recognise the limitations imposed, and in conjunction with the supplier agree on the necessary specification limits. In general, products made from recycled plastic conform to "Fit for Use" criteria. Information, product specifications and pricing may change without notice. ACN: 147 913 559 ABN: 99147913559 0912/2024





**Durable - Never rot, crack or rust**



**Easy DIY**



**Made from 100% recycled plastic**



**UV stabilised for long life**



**5 Year warranty**



**Australian made and owned**

## RAISED GARDEN BED KIT - 2 TIER CIRCLES

Tiered garden beds are perfect for creating an eye-catching display. Sturdy, circular garden beds of two different diameters & heights.

Colours: Black, Dark Green & Grey Mist

2 Tier Garden Bed	Diameter (mm)	Height (mm)	Roll length (m)
Tier 1	600	300	2
Tier 2	1250	200	4



## RAISED GARDEN BED KIT - 3 TIER CIRCLES

Sturdy, circular garden beds of three different diameters & heights.

Colours: Black, Dark Green & Grey Mist

2 Tier Garden Bed	Diameter (mm)	Height (mm)	Roll length (m)
Tier 1	600	300	2
Tier 2	1250	200	4



## 'PLUS' FENCE POST

Strong, durable, stylish, recycled plastic post with an Australian-made steel core. Low maintenance, termite proof & long life – will not rot, split or rust. Fully insulated post for easy electrification without insulators. Driveable point for fast installation. Ideal for swampy, wet, flood-prone, acidic, alkaline or saline soils. Easy to screw, nail, drill or saw. Resistant to impact, shock & breakage. Retained flexibility for less injury to wildlife. Made with recycled plastics including farm plastics. Designed as an in-line post only & must not be used as a strainer post. Ideal for dairy, beef, feral, oyster and hobby farms.

Options: Pre-drilled wire holes; Pre-drilled top slot for barbed wire; Custom hole spacings & hole sizes. Colour: Black

Width (mm)	Depth (mm)	Lengths (mm)
110	110	1800/1900/2100/2250



[sales@plasticforests.com.au](mailto:sales@plasticforests.com.au)

(02) 6048 0532

21 Union Road North Albury NSW 2640

DISCLAIMER: All information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Plastic Forests Pty Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Users of products made from recycled plastic should recognise the limitations imposed, and in conjunction with the supplier agree on the necessary specification limits. In general, products made from recycled plastic conform to "Fit for Use" criteria. Information, product specifications and pricing may change without notice. ACN: 147 913 559 ABN: 99147913559 0912/2024



**Durable - Never rot, crack or rust**



**Easy DIY**



**Made from 100% recycled plastic**



**UV stabilised for long life**



**5 Year warranty**



**Australian made and owned**

## SQUARE PICKET – Polymer Mineral Composite - With holes

Use instead of a steel star picket for a sturdy, long-lasting, fully insulated square post that will never rust. Pre-drilled holes & driveable point for fast installation. No safety cap required. Perfect for swampy, flood-prone, acidic or saline soils. Easy to screw, drill or saw. Colour: Black and White. Holes: 14 x 7mm

Width (mm)	Depth (mm)	Length (mm)
38	38	1650/1800



## DROPPER – With holes

Robust, durable fence dropper to maintain fence integrity & spread stock pressure across the whole fence. Pre-drilled holes & fully insulated for easy electrification. Will never rust or rot. Colour: Black and white. Holes: 7mm

Width (mm)	Depth (mm)	Length (mm)
38	38	630/960/1080/1170/1200



## WATER SAVER TREE SURROUND

Ideal for concentrating water around the tree root ball to improve plant survival. Sturdy, UV stabilised and easy to assemble. Heavy Duty (3mm thick) or Extra Heavy Duty (5mm thick)

Thickness	Height (mm)	Diameter (mm)	Volume (L)	Colour
3mm	190	500	39	Black or Dark Green
3mm	250	670	88	Black or Dark Green
5mm	200	600	56	Black, Grey or Dk Green
5mm	200	900	127	Black, Grey or Dk Green
5mm	200	1250	245	Black, Grey or Dk Green
5mm	300	600	85	Black, Grey or Dk Green
5mm	300	900	190	Black, Grey or Dk Green
5mm	300	1250	368	Black, Grey or Dk Green



[sales@plasticforests.com.au](mailto:sales@plasticforests.com.au)

(02) 6048 0532

21 Union Road North Albury NSW 2640

DISCLAIMER: All information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Plastic Forests Pty Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Users of products made from recycled plastic should recognise the limitations imposed, and in conjunction with the supplier agree on the necessary specification limits. In general, products made from recycled plastic conform to "Fit for Use" criteria. Information, product specifications and pricing may change without notice. ACN: 147 913 559 ABN: 99147913559 0912/2024



**Durable - Never rot, crack or rust**



**Easy DIY**



**Made from 100% recycled plastic**



**UV stabilised for long life**



**5 Year warranty**



**Australian made and owned**

## ROOT BARRIER (1.3mm) & HEAVY-DUTY ROOT BARRIER (3mm)

A solid, strong barrier between roots & man-made structures such as driveways, paths & pipes.

Flexible, lightweight, waterproof & easy to install. Colour: Black/Dark Green/Grey

Height (mm)	Solid thickness (mm)	Roll length (m)	Colour
600	1.3	10m /30m	Black
600	3	12m	Black
300	3	12m	Black



## MOUNTING BLOCKS FOR AIR-CON, PUMPS etc

Extremely strong (highest industry load rating) - will not collapse or crack. Easy to install. Ideal for ground mounting air conditioner compressors, rainwater tanks, pumps, composters & pool heaters. Colour: Black

Size (w x h)	Length (mm)	Length (mm)	Length (mm)	Length (mm)
90mm x 90mm	380	450	600	1000



## ELECTRICAL CABLE COVER

Strong, highly visible barrier between underground electrical cables and excavators.

AS4702-2000 compliant. Easy to install. UV stabilised orange laminate. Colour: Black

	Width (mm)	Width (mm)	Width (mm)	Width (mm)
20m/25m roll standard	150	200	300	Up to 1300mm
Up to 170lm rolls				
Planks also available				



## 'PLUS' FENCE POST - EQUINE

Designed with horse safety in mind. Stylish, durable & strong black recycled plastic post with an Australian-made steel core. Rounded edges, a domed top and retained flexibility for added horse protection. Long life – will not swell, rot, split, splinter or rust. Fully insulated for easy electrification without insulators. Resistant to bacteria, impact & breakage.

Waterproof, termite proof, maintenance & chemical free. Easy to screw, nail, drill or saw.

Made with recycled plastics including farm plastics. Use as an in-line post only. Colour: Black & Dark Green. Options: Pre-drilled holes/slots for wire, mesh, tape or vinyl/polymer rail.

Width (mm)	Depth (mm)	Lengths (mm)
110	110	1800/1900/2100/2250



[sales@plasticforests.com.au](mailto:sales@plasticforests.com.au)

(02) 6048 0532

21 Union Road North Albury NSW 2640

DISCLAIMER: All information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Plastic Forests Pty Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Users of products made from recycled plastic should recognise the limitations imposed, and in conjunction with the supplier agree on the necessary specification limits. In general, products made from recycled plastic conform to "Fit for Use" criteria. Information, product specifications and pricing may change without notice. ACN: 147 913 559 ABN: 99147913559 09/12/2024





**Durable - Never rot, crack or rust**



**Easy DIY**



**Made from 100% recycled plastic**



**UV stabilised for long life**



**5 Year warranty**



**Australian made and owned**

## POLY SHEET – 300mm and 600mm

600mm wide Poly Sheet available in 3 thicknesses – 1.3mm, 3mm and 5mm. Flexible, heavy duty, durable polyethylene sheeting. Waterproof, termite proof and hygienic. Many applications including lining stockyards, stables and feed troughs. Colour: Black/Dark Green/Silage Grey

Width (mm)	Height (mm)	Roll Length (m)	Colour
3mm	300/600	12	Black
1.3mm	600	10 / 30	Black
5mm	600	Custom	Black



## POLY SHEET – 1200mm and 1500mm

1200mm wide Poly Sheet available in 4 thicknesses – 1mm, 2mm, 3mm and 5mm. Flexible, heavy duty, durable polyethylene sheeting. Waterproof, termite proof and hygienic. Many applications including lining stockyards, stables and feed troughs. Colour: Black. Other colours available in 2025

Width (mm)	Height (mm)	Roll Length (m)	Colour
1.0mm	1200mm	Various	Black
2.0mm	1200mm	12/50/110	Black
3mm	1200mm	8/25/50/110	Black
5mm	1200mm	Custom	Black



 [sales@plasticforests.com.au](mailto:sales@plasticforests.com.au)

 (02) 6048 0532

 21 Union Road North Albury NSW 2640

DISCLAIMER: All information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Plastic Forests Pty Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Users of products made from recycled plastic should recognise the limitations imposed, and in conjunction with the supplier agree on the necessary specification limits. In general, products made from recycled plastic conform to "Fit for Use" criteria. Information, product specifications and pricing may change without notice. ACN: 147 913 559 ABN: 99147913559 0912/2024

## DUNNAGE – GLUTS – BLOCKS – PACK SPACERS – BEARERS – i-90

Durable, re-usable and tough. Affordable, low trip-cost alternative to timber. **Unique I shape** results in a strong, light weight and easy to hold product. Suitable for a wide range of static, storage applications. Provides clearance for forklift tines to lift goods safely and provides a stable base for goods once on the ground. Colour: Black & Grey



Size (w x h)	Length (mm)
90mm x 90mm	Up to 1200mm

## BLOCK DUNNAGE – SOLID HEAVY DUTY

Plastic Forests Block Dunnage is ideal for many heavy duty transport and storage applications, such as to elevate concrete tunnel segments, tubing blocks or tilt panels in lay down areas or precast concrete yards. Solid and lightweight hollow available

Colour: Black & Grey

Size (w x h)	Length (mm)
100mm x 100mm	Up to 1800mm
125mm x 125mm	Up to 1800mm
140mm x 140mm	Up to 1800mm



## TECHNICAL REPORT conducted by ExcelPlas Polymer Testing

ExcelPlas Polymer Testing  
 Quality Accredited Laboratory  
[www.excelplas.com](http://www.excelplas.com)

### Coefficient of Friction - Plastic Forests Plastic Solid Dunnage vs Solid Timber Pine Block against checker plate\*

	Coefficient of Static friction ((N/g)/kg) This is for ground applications	Coefficient of Kinetic friction ((N/g)/kg) This is for 'on truck/transport' applications
Plastic Forests Solid Embossed Dunnage	Mean = 0.543 – Range 0.472 - 0.576	Mean = 0.477 – Range 0.460 – 0.500
Plastic Forests Solid Smooth Dunnage	Mean = 0.528 – Range 0.500 - 0.535	Mean = 0.465 – Range 0.458 – 0.470
Pine Solid Timber Block	Mean = 0.576 – Range 0.547 - 0.637	Mean = 0.35 – Range 0.309 – 0.394

[sales@plasticforests.com.au](mailto:sales@plasticforests.com.au)

(02) 6048 0532

21 Union Road North Albury NSW 2640

DISCLAIMER: All information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Plastic Forests Pty Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Users of products made from recycled plastic should recognise the limitations imposed, and in conjunction with the supplier agree on the necessary specification limits. In general, products made from recycled plastic conform to "Fit for Use" criteria. Information, product specifications and pricing may change without notice. ACN: 147 913 559 ABN: 99147913559 0912/2024



## SCAFFOLDING SAFETY EDGE GUARD - FALLING OBJECTS

A strong heavy duty 5mm plank that can be screwed onto the scaffolding plank and butted up against the slab to provide protection against items falling to lower levels. UV stabilised. Easy to install with Metal Tek 16mm Hex Head with seal screws. Colour: Black



Width (mm)	Length (mm)	Presentation
Standard 200mm (up to 600mm)	Standard 2440mm (up to 3600mm)	Plank/flat

 [sales@plasticforests.com.au](mailto:sales@plasticforests.com.au)

 (02) 6048 0532

 21 Union Road North Albury NSW 2640

DISCLAIMER: All information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Plastic Forests Pty Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Users of products made from recycled plastic should recognise the limitations imposed, and in conjunction with the supplier agree on the necessary specification limits. In general, products made from recycled plastic conform to "Fit for Use" criteria. Information, product specifications and pricing may change without notice. ACN: 147 913 559 ABN: 99147913559 0912/2024

# Google

Reviews ★★★★★

5.0 ★★★★★ (184 reviews) ⓘ

[Edit your review](#)

[Reply to reviews](#)

[Get more reviews](#)



**Josie Snedden**

1 review · 5 photos

★★★★★ a year ago


I received my circular garden beds 900w x 400h to use for my fruit trees as i have clay soil planting them in the ground was not an option they are much cheaper and better quality than anything else i could find on the market i love they ... [More](#)



👍 2

## 1,000 + Positive Product Reviews

ebay ★★★★★  
100% Positive Feedback



**ebay** Shop by category  All Categories  Advanced

**PlasticForests**

**plastic\_forests (1000★)**  
100% positive Feedback

[Edit profile](#) [Items for sale](#) [Visit store](#)

All of our quality products are made in rural Australia by Plastic Forests from 100% recycled plastic. Support Australian made and help reduce plastic pollution by choosing our fantastic GreenMongrel products for your garden, home or business.

**Feedback ratings** ⓘ

Rating	Count	Category
★★★★★	389	Item as described
★★★★★	390	Communication
★★★★★	392	Postage time
★★★★★	411	Postage charges

509 Positive 0 Neutral 0 Negative

Received promptly in good order.  
11 Oct, 2021

Feedback from the last 12 months

114 Followers | 0 reviews | Member since: 13 Sep, 2012 | Australia

[sales@plasticforests.com.au](mailto:sales@plasticforests.com.au)

(02) 6048 0532

21 Union Road North Albury NSW 2640

DISCLAIMER: All information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Plastic Forests Pty Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Users of products made from recycled plastic should recognise the limitations imposed, and in conjunction with the supplier agree on the necessary specification limits. In general, products made from recycled plastic conform to "Fit for Use" criteria. Information, product specifications and pricing may change without notice. ACN: 147 913 559 ABN: 99147913559 09/12/2024